

20024365

**VOSS Non-Skive-Pressfassung PF 24 für  
Drahtgeflechtschlauch**

**HF-FER/PF24-DN08 DN 08 für Schlauch 1SC. 2SC.  
1SN-K, 2SN-K, 1SN**



03.04.2023 13:20:25

**Technical Data**

Weight	0,029 kg per piece
interlock pull-out protection	no
material	Stahl VOSS coat
nominal size / DN	8 millimeter
R13 - EN 856	no
R7 - EN 855/SAE 100 R7 TP-R7	no
R8 - EN 855/SAE 100 R8 TP-R8	no
SAE 100 R1 TP1	no
SAE 100 R12	no
SAE 100 R15	no
SAE 100 R2 TP2	no
SPC2	no
SPC3	no
TP16FS	no
TP27	no
TP4FS	no
type of ferrule	Non-Skive

**20024365**

**VOSS Non-Skive-Pressfassung PF 24 für  
Drahtgeflechtschlauch**

**HF-FER/PF24-DN08 DN 08 für Schlauch 1SC. 2SC.  
1SN-K, 2SN-K, 1SN**



03.04.2023 13:20:25

**Technical Data**

1SC - EN 857	yes
1SN - EN 853/SAE 100 R1AT	yes
1SN-K - EN 857	yes
1ST - EN 853	no
2SC - EN 857	yes
2SN - EN 853/SAE 100 R2AT	no
2SN-K - EN 857	yes
2ST - EN 853	no
2TE - EN 854	no
3TE - EN 854	no
4SH - EN 856	no
4SP - EN 856	no

**Conformity**

Commodity code	73079990
China-RoHS	n/a
Dual-Use	no
REACH regulation	2006/1907/EG (REACH)



20024365

**VOSS Non-Skive-Pressfassung PF 24 für  
Drahtgeflechtschlauch**

**HF-FER/PF24-DN08 DN 08 für Schlauch 1SC. 2SC.  
1SN-K, 2SN-K, 1SN**



03.04.2023 13:20:25

#### Conformity

---

RoHS directive (III)	2015/863/EC (RoHS III)
SCIP/ECHA	yes
SCIP-Nummer	7aa78bef-13de-4f1a-aa0b-62d7d74e5971

---

\* n/s - not specified  
n/a - not applicable

#### \*\* technical specifications/ conformities

This data sheet has been created with great care and all information has been checked for correctness. However, no liability is accepted for any incorrect or incomplete information. Product images and drawings are for illustration purposes only and may vary in detail. Due to the constant further development of the products, changes in the product range and the product design are reserved! Performance and consumption data as well as descriptions may therefore differ. The use of the products is beyond our control and is therefore not our area of responsibility.

